



N. LEVENTERIS S.A.
 32 ASKLIPIOU str. GR-18545 PIRAEUS - GREECE
 TEL : +30 210 4220581 (12 LINES)
 FAX :+30 210 4172142
www.leventeris.gr
 E-MAIL: levederi@otenet.gr

NATURAL FIBRE ROPES

Size		Weight			BREAKING LOAD (ton)			
Περιμ. CIRC	Διαμ. DIA	Kg/100m	Kg/220m	lb/120 fath	MANILA			SISAL
					LEVEL I	LEVEL II	QUALITY	
inch	mm							
3/4	6	2,9	6.4	14	0.29	0.27	0.31	0.27
1	8	5,4	11.7	26	0.55	0.48	0.60	0.48
1 1/4	10	6,8	15	33	0.71	0.64	0.78	0.64
1 1/2	12	10,5	23	51	1.07	0.96	1.17	0.96
1 3/4	14	14	31	68	1.45	1.29	1.60	1.29
2	16	19	42	92	2.03	1.81	2.25	1.81
2 1/4	18	22	48	106	2.44	2.14	2.70	2.14
2 1/2	20	27,5	61	133	3.25	2.85	3.55	2.85
2 3/4	22	33	73	160	3.86	3.41	4.25	3.41
3	24	40	88	194	4.57	4.07	5.05	4.07
3 1/4	26	46,6	103	226	5.33	4.70	5.90	4.70
3 1/2	28	53,2	117	257	6.09	5.33	6.75	5.33
4	32	70	154	339	7.88	6.87	8.65	6.87
4 1/2	36	89	196	431	9.65	8.64	10.80	8.64
5	40	110	242	532	11.94	10.42	13.00	10.42
6	48	158,5	349	767	16.77	14.74	18.60	14.74
7	56	215	473	1.041	22.36	19.82	25.00	19.82
8	64	288	634	1.394	29.00	25.70	32.20	25.70
9	72	362	796	1.752	35.80	32.70	39.40	32.70
10	80	440	968	2.130	43.50	38.70	47.80	38.70
11	88	535	1177	2.589	51.50	46.80	56.60	46.80
12	96	640	1403	3.098	60.00	53.50	66.00	53.50

