



WIRE ROPES OFFERS EX STOCK

ITEM No	CODE No	CONSTRUCTION	SURFACE B=BRIGHT G=GALVANIZED	LAY	GREASE GR=greased D=Dry	DIAMETER		PIECES	LENGTH PER PIECE (m)	TOTAL WEIGHT (Kgs)	UNIT SPECIAL PRICE		REMARKS	WAREHOUSE
						(mm)	(inch)				(€ / Kg)	(€ / 100m)		
1	110220	6X19+HC	B	RHOL	GR	4,8		1	40	3	0,85	6,38		VOLOS
2	101939	1X7X3,60	G	RHOL	GR	10,8		2	2448	2.770	0,85	48,1		VOLOS
3	111461	6X19+HC	B	RHOL	GR	15,5		1	78	49	0,85	53,4		VOLOS
4	211854	6X7+HC	G	RHOL	GR	18,0		1	680	752	0,85	94,0		VOLOS
5	211854	6X7+HC	G	RHOL	GR	18,0		1	405	445	0,85	93,4		VOLOS
6	211854	6X7+HC	G	RHOL	GR	18,0		1	218	239	0,85	93,2		PIRAEUS
7	211854	6X7+HC	G	RHOL	GR	18,0		1	182	196	0,85	91,5		VOLOS
8	111728	6X7+HC	G	RHOL	GR	20,0		1	1208	1.625	0,85	114		VOLOS
9	111728	6X7+HC	G	RHOL	GR	20,0		1	430	585	0,85	116		VOLOS
10	100794	36X7+STS	B	RHOL	GR	20,0		1	55	87	0,85	134		VOLOS
11	112538	6X36+HC	B	RHOL	GR	20,0		1	49,5	70	0,85	120		VOLOS
12	112153	4X36+HC	B	RHOL	GR	20,0		1	55	74	0,85	114		PIRAEUS
13	112153	4X36+HC	B	RHOL	GR	20,0		1	51	69	0,85	115		PIRAEUS
14	112153	4X36+HC	B	RHOL	GR	20,0		1	49	66	0,85	114		PIRAEUS
15	112153	4X36+HC	B	RHOL	GR	20,0		1	53	71	0,85	114		PIRAEUS
16	112153	4X36+HC	B	RHOL	GR	20,0		1	45	62	0,85	117		PIRAEUS
17	112153	4X36+HC	B	RHOL	GR	20,0		1	41	57	0,85	118		PIRAEUS
18	110107	6X19+HC	B	LHOL	GR	22,0		1	32	55	0,80	138		PIRAEUS
19	121763	6X36+STS	B	LHOL	GR	24,0		1	53	116	0,80	175		PIRAEUS
20	121763	6X36+STS	B	LHOL	GR	24,0		1	12	27	0,80	180		VOLOS
21	120172	6X61+STS	B	RHOL	GR	25,0		1	96	225	0,80	188		VOLOS
22	112540	6X36+HC	B	RHOL	GR	26,0		1	46	117	0,80	203		VOLOS
23	110228	6X24+HC	G	RHOL	D	26,0		1	28	57	0,80	163		PIRAEUS
24	110228	6X24+HC	G	RHOL	D	26,0		1	22,5	50	0,80	178		PIRAEUS
25	110228	6X24+HC	G	RHOL	D	26,0		1	20	39	0,80	156		PIRAEUS
26	110228	6X24+HC	G	RHOL	D	26,0		1	18,8	36	0,80	153		PIRAEUS
27	110705	6X25+HC	B	RHOL	GR	28,0		1	90	265	0,80	236		PIRAEUS
28	110705	6X25+HC	B	RHOL	GR	28,0		1	78	226	0,80	232		PIRAEUS
29	120162	8X25+STS	B	LHOL	GR	28,0		1	68	225	0,80	265		VOLOS
30	120162	8X25+STS	B	LHOL	GR	28,0		1	80	258	0,80	258		VOLOS
31	120162	8X25+STS	B	RHOL	GR	28,0		1	73	245	0,80	268		VOLOS
32	110229	6X24+HC	G	RHOL	D	28,0		1	54	134	0,80	199		PIRAEUS
33	211935	6X19+HC	G	RHOL	GR	30,0		1	745	2.394	0,80	257		VOLOS
34	122026	6X36+STS	B	RHOL	GR	30,0		1	150	583	0,80	311		VOLOS
35	211935	6X19+HC	G	RHOL	GR	30,0		1	745	2.394	0,70	225		VOLOS
36	100699	8X36+STS	B	RHOL	GR	31,0		1	172	721	0,70	293		VOLOS
37	110151	6X37+HC	B	RHOL	GR	32,0		1	267	887	0,95	316		VOLOS
38	110151	6X37+HC	B	RHOL	GR	32,0		1	265	887	0,95	318		VOLOS
39	110151	6X37+HC	B	RHOL	GR	32,0		1	265	867	0,95	311		VOLOS
40	110151	6X37+HC	B	RHOL	GR	32,0		1	265	885	0,95	317		VOLOS
41	121800	6X36+STS	B	RHOL	GR	32,0		1	118	496	0,95	399		VOLOS
42	121800	6X36+STS	B	RHOL	GR	32,0		1	116	494	0,95	405		VOLOS



43	121800	6X36+STS	B	RHOL	GR	32,0		1	90	371	0,95	392		VOLOS
44	121800	6X36+STS	B	RHOL	GR	32,0		1	73	306	0,95	398		VOLOS
45	120703	6X36+STS	G	RHOL	GR	32,0		1	270	1.134	0,95	399		PIRAEUS
46	120703	6X36+STS	G	RHOL	GR	32,0		3	250	3.222	0,95	408		PIRAEUS
47	120703	6X36+STS	G	RHOL	GR	32,0		7	200	5.928	0,95	402		PIRAEUS
48	111791	4X36	G	RHOL	D	32,0		1	92	316	0,70	240		VOLOS
49	111791	4X36	G	RHOL	D	32,0		1	175	620	0,70	248		VOLOS
50	111791	4X36	G	RHOL	D	32,0		1	195	660	0,70	237		VOLOS
51	111791	4X36	G	RHOL	D	32,0		1	185	642	0,70	243		VOLOS
52	120123	6X25+STS	B	RHOL	GR	32,0	1 1/4"	1	190	789	0,70	291		VOLOS
53	120123	6X25+STS	B	RHOL	GR	32,0	1 1/4"	1	203	824	0,70	284		VOLOS
54	120123	6X25+STS	B	RHOL	GR	32,0	1 1/4"	1	205	847	0,70	289		VOLOS
55	122246	8X36+STS	B	RHOL	GR	32,0		1	106	519	0,70	343		VOLOS
56	121895	4X36+STS	G	RHOL	GR	34,0		1	52	203	0,70	273		VOLOS
57	122277	6X25+STS	B	RHOL	GR	34,0		1	93	422	0,70	318		VOLOS
58	110674	6X37+HC	B	RHOL	GR	36,0		1	300	1.244	0,95	394		PIRAEUS
59	110674	6X37+HC	B	RHOL	GR	36,0		1	172	794	0,95	439		VOLOS
60	120169	8X36+STS	B	LHOL	GR	38,0		1	300	1.698	0,70	396		VOLOS
61	120169	8X36+STS	B	LHOL	GR	38,0		1	132	732	0,70	388		VOLOS
62	112527	6X36+HC	G	RHOL	D	38,0		1	287	1.413	0,70	345		VOLOS
63	112527	6X36+HC	G	RHOL	D	38,0		1	287	1.414	0,70	345		VOLOS
64	112527	6X36+HC	G	RHOL	D	38,0		1	287	1.428	0,70	348		VOLOS
65	112527	6X36+HC	G	RHOL	D	38,0		1	287	1.413	0,70	345		VOLOS
66	122789	6X36+STS	B	RHOL	GR	38,0		1	612	3.515	0,70	402		VOLOS
67	121328	6X36+STS	G	RHOL	GR	40,0		4	255	6.559	0,95	611		PIRAEUS
68	122236	6X37+STS	B	RHOL	GR	40,0		1	223	1.304	0,70	409		VOLOS
69	122808	6X37+STS	G	RHOL	GR	40,0		1	80	499	0,70	437		PIRAEUS
70	112529	6X36+HC	G	RHOL	D	42,0		1	352	2.100	0,95	567	OUTER END WITH SPLICED EYE	PIRAEUS
71	112529	6X36+HC	G	RHOL	D	42,0		1	351	2.106	0,95	570	OUTER END WITH SPLICED EYE	PIRAEUS
72	112529	6X36+HC	G	RHOL	D	42,0		1	335	1.890	0,95	536	OUTER END WITH SPLICED EYE	PIRAEUS
73	121528	6X36+STS	B	RHOL	GR	42,0		1	275	1.978	0,95	683		VOLOS
74	121528	6X36+STS	B	RHOL	GR	42,0		1	140	1.007	0,95	683		VOLOS
75	121528	6X36+STS	B	RHOL	GR	42,0		1	120	848	0,95	671		VOLOS
76	121155	8X36+STS	B	RHOL	GR	50,0		1	35,5	396	0,70	781		PIRAEUS
77	121155	8X36+STS	B	RHOL	GR	50,0		1	21,5	228	0,70	742		PIRAEUS
78	121155	8X36+STS	B	LHOL	GR	50,0		1	13,1	138	0,70	737		PIRAEUS
79	121155	8X36+STS	B	RHOL	GR	50,0		1	51	557	0,70	765		PIRAEUS
TOTAL ->										69.967				

ALUMINIUM-CLAD STEEL STRANDED ROPES (Alumoweld)

ITEM No	CODE No	DESCRIPTION	DIAMETER		PIECES	LENGTH PER PIECE (m)	TOTAL WEIGHT (Kgs)	UNIT SPECIAL PRICE		REMARKS	WAREHOUSE	
			(mm)	(inch)				(€/Kg)	(€/100m)			
101	202658	1 x7x 3,09 mm (ASTM B 502-93) Right Lay - Greased	9,27		15	3100	16.430	to be agreed			VOLOS	
102	202658	1 x7x 3,09 mm (ASTM B 502-93) Right Lay - Greased	9,27		22	3050	24.024	to be agreed			VOLOS	
TOTAL ->										40.454		



COMBINATION ROPES OFFERS EX STOCK

ITEM No	CODE No	DESCRIPTION	DIAMETER		PIECES	LENGTH PER PIECE (m)	TOTAL WEIGHT (Kgs)	UNIT SPECIAL PRICE		REMARKS	WAREHOUSE
			(mm)	(inch)				(€ / Kg)	(€ / 100m)		
201	201965	GALV. 6X19 - COVERED NYLON	32,0		8	75	1.033	1,00	172		PIRAEUS
202	201946	GALV. 6X19 - COVERED NYLON	36,0		10	75	1.650	1,00	220		PIRAEUS
203	201946	GALV. 6X19 - COVERED NYLON	36,0		1	80	181	1,00	226		PIRAEUS
204	201946	GALV. 6X19 - COVERED NYLON	36,0		10	100	2.190	1,00	219		PIRAEUS
205	201946	GALV. 6X19 - COVERED NYLON	36,0		10	75	1.691	1,00	225		PIRAEUS
206	201947	GALV. 6X19 - COVERED NYLON	38,0		10	100	2.380	1,00	238		PIRAEUS
207	201947	GALV. 6X19 - COVERED NYLON	38,0		21	80	3.927	1,00	234		PIRAEUS
208	201947	GALV. 6X19 - COVERED NYLON	38,0		16	100	3.760	1,00	235		PIRAEUS
209	201948	GALV. 6X19 - COVERED NYLON	40,0		1	80	198	1,00	248		PIRAEUS
210	201948	GALV. 6X19 - COVERED NYLON	40,0		24	100	5.808	1,00	242		PIRAEUS
211	201948	GALV. 6X19 - COVERED NYLON	40,0		8	100	1.976	1,00	247		PIRAEUS
212	201948	GALV. 6X19 - COVERED NYLON	40,0		14	80	2.772	1,00	248		PIRAEUS
213	201949	GALV. 6X19 - COVERED NYLON	42,0		14	80	2.800	1,00	250		PIRAEUS
214	201949	GALV. 6X19 - COVERED NYLON	42,0		6	80	1.216	1,00	253		PIRAEUS

TOTAL -> 31.582

WIRE NAILS OFFERS EX STOCK

ITEM No	CODE No	DESCRIPTION	PIECES	NOMINAL WEIGHT PER PIECE (Kgs)	TOTAL WEIGHT (Kgs)	UNIT SPECIAL PRICE (€ / Kg)	REMARKS	WAREHOUSE

TOTAL -> 24.200

HEXAGONAL WIRE MESH OFFERS EX STOCK

ITEM No	CODE No	DESCRIPTION	ROLLS	NOMINAL AREA PER ROLL (m2)	TOTAL AREA (m2)	UNIT SPECIAL PRICE (€ / m2)	REMARKS	WAREHOUSE
402	201651	1/2" x 80 cm height (wire 0,70 mm) - 20 m2/roll	627	20	12.540	0,40		PIRAEUS
403	201664	1" x 80 cm height (wire 0,90 mm) - 20 m2/roll	1	20	20	0,40		VOLOS
404	201664	1" x 80 cm height (wire 0,90 mm) - 20 m2/roll	141	20	2.820	0,40		PIRAEUS
405	201665	1" x 100 cm height (wire 0,90 mm) - 25 m2/roll	340	25	8.500	0,40		VOLOS



406	201665	1" x 100 cm height (wire 0,90 mm) - 25 m2/roll	283	25	7.075	0,40		PIRAEUS
407	201666	1" x 120 cm height (wire 0,90 mm) - 30 m2/roll	84	30	2.520	0,40		PIRAEUS
408	201691	1 1/2" x 100 cm height (wire 0,90 mm) - 25 m2/roll	3	25	75	0,40		PIRAEUS
409	201622	1 1/2" x 120 cm height (wire 0,90 mm) - 30 m2/roll	38	30	1.140	0,40		PIRAEUS
410	201693	1 1/2" x 150 cm height (wire 0,90 mm) - 37,5 m2/roll	1	37,5	38	0,40		PIRAEUS
			TOTAL ->		37.528			

ANCHORS OFFERS EX STOCK

ITEM No	CODE No	DESCRIPTION	PIECES	NOMINAL WEIGHT PER PIECE (Kgs)	TOTAL WEIGHT (Kgs)	UNIT SPECIAL PRICE (€ / Kg)	REMARKS	WAREHOUSE
501	202367	HALL'S TYPE - 190 Kgs	7	190	1.330	0,90		VOLOS
502	202368	HALL'S TYPE - 240 Kgs	2	240	480	0,90		VOLOS
503	202369	HALL'S TYPE - 300 Kgs	5	300	1.500	0,90		VOLOS
504	202370	HALL'S TYPE - 360 Kgs	6	360	2.160	0,90		VOLOS
505	202371	HALL'S TYPE - 420 Kgs	2	420	840	0,90		VOLOS
506	202372	HALL'S TYPE - 480 Kgs	4	480	1.920	0,90		VOLOS
507	202373	HALL'S TYPE - 570 Kgs	4	570	2.280	0,90		VOLOS
508	202374	HALL'S TYPE - 660 Kgs	4	660	2.640	0,90		VOLOS
			TOTAL ->		13.150			

CHAINS OFFERS EX STOCK

ITEM No	CODE No	DESCRIPTION	PIECES	NOMINAL WEIGHT PER PIECE (Kgs)	TOTAL WEIGHT (Kgs)	UNIT SPECIAL PRICE (€ / Kg)	REMARKS	WAREHOUSE
601	202431	BLACK PAINTED DIN 764 LINK CHAIN 22 mm	34	250	8.500	0,80		VOLOS
602	200453	BLACK PAINTED DIN 764 LINK CHAIN 25 mm	27	250	6.750	0,80		VOLOS
603	200455	GALVANIZED DIN 766 LINK CHAIN 6 mm	2	240	480	0,80		PIRAEUS
604	200455	GALVANIZED DIN 766 LINK CHAIN 6 mm	1	14	14	0,80		PIRAEUS
605	200455	GALVANIZED DIN 766 LINK CHAIN 6 mm	1	24	24	0,80		PIRAEUS
606	200455	GALVANIZED DIN 766 LINK CHAIN 6 mm	2	42	84	0,80		PIRAEUS
607	200455	GALVANIZED DIN 766 LINK CHAIN 6 mm - 50 m	8	40	320	0,80		PIRAEUS
608	200455	GALVANIZED DIN 766 LINK CHAIN 6 mm - 40 m	1	31	31	0,80		PIRAEUS
609	200455	GALVANIZED DIN 766 LINK CHAIN 6 mm - 50 m	11	39	429	0,80		PIRAEUS
610	200456	GALVANIZED DIN 766 LINK CHAIN 8 mm - 50 m	8	72	576	0,80		PIRAEUS
611	200456	GALVANIZED DIN 766 LINK CHAIN 8 mm	1	12	12	0,80		PIRAEUS
612	200456	GALVANIZED DIN 766 LINK CHAIN 8 mm	1	34	34	0,80		PIRAEUS
613	200457	GALVANIZED DIN 766 LINK CHAIN 10 mm - 50 m	6	112	672	0,80		PIRAEUS
614	200457	GALVANIZED DIN 766 LINK CHAIN 10 mm - 250 m	7	555	3.885	0,80		PIRAEUS
615	200745	GALVANIZED DIN 764 LINK CHAIN 10 mm - 250 m	6	500	3.000	0,80		PIRAEUS
616	200835	GALVANIZED DIN 764 LINK CHAIN 12 mm	1	1135	1.135	0,80		PIRAEUS



617	200835	GALVANIZED DIN 764 LINK CHAIN 12 mm	1	1128	1.128	0,80		PIRAEUS
618	200835	GALVANIZED DIN 764 LINK CHAIN 12 mm	1	1125	1.125	0,80		PIRAEUS
619	200835	GALVANIZED DIN 764 LINK CHAIN 12 mm	5	140	700	0,80		PIRAEUS
620	200835	GALVANIZED DIN 764 LINK CHAIN 12 mm	1	393	393	0,80		PIRAEUS
621	200835	GALVANIZED DIN 764 LINK CHAIN 12 mm - 50 m	2	163	326	0,80		PIRAEUS
622	200835	BLACK DIN 764 LINK CHAIN 12 mm - 50 m	1	143	143	0,80		PIRAEUS
623	201038	GALVANIZED DIN 766 LINK CHAIN 13 mm	1	65	65	0,80		PIRAEUS
624	201038	GALVANIZED DIN 766 LINK CHAIN 13 mm	1	67	67	0,80		PIRAEUS
625	201039	GALVANIZED DIN 766 LINK CHAIN 14 mm	2	133	266	0,80		PIRAEUS
626	201039	GALVANIZED DIN 764 LINK CHAIN 14 mm	5	190	950	0,80		PIRAEUS
627	201039	GALVANIZED DIN 764 LINK CHAIN 14 mm	1	513	513	0,80		PIRAEUS
628	201039	GALVANIZED DIN 764 LINK CHAIN 14 mm	3	190	570	0,80		PIRAEUS
629	201039	GALVANIZED DIN 764 LINK CHAIN 14 mm	3	189	567	0,80		PIRAEUS
630	201039	GALVANIZED DIN 764 LINK CHAIN 14 mm	3	190	570	0,80		PIRAEUS
631	201039	GALVANIZED DIN 764 LINK CHAIN 14 mm	3	190	570	0,80		PIRAEUS
632	201039	GALVANIZED DIN 764 LINK CHAIN 14 mm	3	185	555	0,80		PIRAEUS
633	201039	GALVANIZED DIN 764 LINK CHAIN 14 mm	1	61	61	0,80		PIRAEUS
634	201039	GALVANIZED DIN 764 LINK CHAIN 14 mm	1	28	28	0,80		PIRAEUS
635	200989	GALVANIZED DIN 764 LINK CHAIN 16 mm - 50 m	3	263	789	0,80		PIRAEUS
636	202101	GALVANIZED DIN 764 LINK CHAIN 16 mm - 5 links/pc	56	1,5	84	0,80		PIRAEUS
637	200990	GALVANIZED DIN 766 LINK CHAIN 18 mm	2	646	1.292	0,80		VOLOS
638	201045	BLACK LINK CHAIN 20 mm	1	69	69	0,80		PIRAEUS
639	201045	GALVANIZED LINK CHAIN 20 mm	1	23	23	0,80		PIRAEUS
640	201045	GALVANIZED DIN 763 LINK CHAIN 20 mm - 20 m	1	138	138	0,80		PIRAEUS
641	202431	BLACK LINK CHAIN 22 mm	1	32	32	0,80		PIRAEUS
642	201178	GALVANIZED ISO 1704 STUD LINK CHAIN 22 mm	1	283	283	0,80		VOLOS
643	201178	GALVANIZED ISO 1704 STUD LINK CHAIN 22 mm	1	302	302	0,80		VOLOS
644	201178	GALVANIZED ISO 1704 STUD LINK CHAIN 22 mm	1	296	296	0,80		VOLOS
645	201178	GALVANIZED ISO 1704 STUD LINK CHAIN 22 mm	1	293	293	0,80		VOLOS
646	201178	GALVANIZED ISO 1704 STUD LINK CHAIN 22 mm	1	298	298	0,80		VOLOS
647	201178	GALVANIZED ISO 1704 STUD LINK CHAIN 22 mm	3	302	906	0,80		PIRAEUS
648	201178	GALVANIZED ISO 1704 STUD LINK CHAIN 22,5 mm	1	291	291	0,80		VOLOS
649	201178	GALVANIZED ISO 1704 STUD LINK CHAIN 22,5 mm	1	320	320	0,80		VOLOS
				TOTAL ->	39.959			

WIRES EX STOCK

ITEM No	CODE No	DESCRIPTION	PIECES	aprox WEIGHT PER PIECE (Kgs)	TOTAL WEIGHT (Kgs)	UNIT SPECIAL PRICE (€ / Kg)	REMARKS	WAREHOUSE
801	101722	WIRE UNGALVANIZED ANEALED (TENSILE STRENGTH 30-50 Kp/mm2) DIAM. 1,20 mm packed in coils	71	28	2.005	0,30		VOLOS
802	201786	WIRE UNGALVANIZED ANEALED (TENSILE STRENGTH 30-50 Kp/mm2) DIAM. 1,20 mm packed in coils	15	47	711	0,30		VOLOS
803	101700	WIRE UNGALVANIZED ANEALED (TENSILE STRENGTH 30-50 Kp/mm2) DIAM. 1,80 mm packed in coils	20	78	1.565	0,30		VOLOS
804	101730	WIRE UNGALVANIZED ANEALED (TENSILE STRENGTH 30-50 Kp/mm2) DIAM. 2,50 mm packed in coils	8	99	791	0,30		VOLOS



805	101891	WIRE UNGALVANIZED ANEALED (TENSILE STRENGTH 30-50 Kp/mm2) DIAM. 2,80 mm packed in coils	25	128	3.194	0,30		VOLOS
806	101711	WIRE UNGALVANIZED ANEALED (TENSILE STRENGTH 30-50 Kp/mm2) DIAM. 3,00 mm packed in coils	8	86	691	0,30		VOLOS
811	202648	WIRE UNGALVANIZED LOW CARBON DRAWN (TENSILE STRENGTH 70-90 Kp/mm2) DIAM. 1,80 mm packed in coils	4	790	3.160	0,30		VOLOS
812	202648	WIRE UNGALVANIZED LOW CARBON DRAWN (TENSILE STRENGTH 70-90 Kp/mm2) DIAM. 1,80 mm packed in coils	8	139	1.108	0,30		VOLOS
813	201626	WIRE UNGALVANIZED LOW CARBON DRAWN (TENSILE STRENGTH 70-90 Kp/mm2) DIAM. 2,80 mm packed in coils	9	898	8.083	0,30		VOLOS
821		WIRE GALVANIZED LOW CARBON DIAM. 0,45 mm packed in SPOOLS	62	19	1.170	0,35		VOLOS
822	201644	WIRE GALVANIZED LOW CARBON DIAM. 1,20 mm packed in coils	7	50	350	0,35		VOLOS
823	201644	WIRE GALVANIZED LOW CARBON DIAM. 1,20 mm packed in coils	30	50	1.500	0,35		PIRAEUS
824	202599	WIRE GALVANIZED LOW CARBON DIAM. 1,40 mm packed in coils	152	25	3.829	0,35		VOLOS
825	102402	WIRE GALVANIZED LOW CARBON DIAM. 1,58 mm packed in coils	19	28	541	0,35		VOLOS
826	102402	WIRE GALVANIZED LOW CARBON DIAM. 1,58 mm packed in coils	6	41	243	0,35		VOLOS
831		WIRE INOX DIAM. 0,32 mm packed in SPOOLS	1	18	18	0,50		VOLOS
832	100076	WIRE INOX DIAM. 0,37 mm packed in SPOOLS	5	20	99	0,50		VOLOS
833		WIRE INOX DIAM. 0,50 mm packed in SPOOLS	5	25	124	0,50		VOLOS
834		WIRE INOX DIAM. 0,52 mm packed in SPOOLS	3	6	17	0,50		VOLOS
835		WIRE INOX DIAM. 0,55 mm packed in SPOOLS	1	3	3	0,50		VOLOS
837		WIRE INOX DIAM. 0,65 mm packed in SPOOLS	1	6	6	0,50		VOLOS
838		WIRE INOX DIAM. 0,70 mm packed in SPOOLS	10	16	158	0,50		VOLOS
839	100081	WIRE INOX DIAM. 0,80 mm packed in SPOOLS	5	35	175	0,50		VOLOS
840		WIRE INOX DIAM. 0,83 mm packed in SPOOLS	13	16	203	0,50		VOLOS
841		WIRE INOX DIAM. 0,90 mm packed in SPOOLS	1	13	13	0,50		VOLOS
842		WIRE INOX DIAM. 0,95 mm packed in SPOOLS	7	17	118	0,50		VOLOS
843	100085	WIRE INOX DIAM. 1,20 mm packed in SPOOLS	2	16	32	0,50		VOLOS
844	100086	WIRE INOX DIAM. 1,30 mm packed in SPOOLS	2	10	20	0,50		VOLOS

TOTAL -> 29.927